

Development Of WebGIS For Protected Areas Mapping And Monitoring In The ASEAN Region

Helmi Zulhaidi Mohd Shafri ¹, Keitaro Ito ², Shaiful Jahari Hashim ¹, Mustafa Abdul Rahman Al-Habshi ¹, Nur Shafira Nisa Shaharum ³, Fauzul Azim Zainal Abidin ⁴, Nitin Kumar Tripathi ⁵, Thanasin Louangrath ⁶

1: Universiti Putra Malaysia (UPM), Malaysia

2: Kyushu Institute of Technology (Kyutech), Japan

3: Monash University, Australia (Malaysian Campus)

4: The Department of Wildlife and National Parks Peninsular Malaysia.

5: The Asian Institute of Technology (AIT), Thailand.

6: Ministry of Science and Technology, Lao PDR.



Outline

Background

Proposed Methodology

Innovative aspects

Background

➤ Protected areas are currently facing threats such as climate change, habitat loss, poaching and others.

➤ Without proper monitoring, it will affect the environment, life support systems and economics.






➤ Hence, it is important to achieve the objectives as listed in the Sustainable Development Goals (climate action, life on land and others).


- PA in Malaysia status
- Monitoring approaches
- Why the need for the proposed solution.
- Novelty



ASEAN HERITAGE PARKS







Data storage, including Geospatial, with aspects such as:

- Works as Network server
- Can be Centralized or Distributed (Scalability)
- Self-hosted or cloud-based.

Render & Publish the data in form of Web Services:

- OGC Standards
- Access type permission control.
- Diverse sources of data

Desktop GIS is thick client that provides the following:

- Data preparation
- Advanced geospatial analysis
- Visual styling


Web browser is a thin client that be found in nearly every operating systems, including smartphone:

- Visualise all geospatial data, vector and raster.
- Performing search & query.
- Interactivity in usage.
- Data entry and submission.


* They are dependent on being online.

Innovative Aspects

- ❖ The utilisation of advanced technologies (remote sensing, GIS and GNSS) can help to monitor the protected areas effectively.
- ❖ A WebGIS development is essential to ASEAN Heritage Parks in order to conserve and manage the protected areas.
- ❖ Implementation of advanced network of sensors to monitor changes and related activities that can threaten the protected areas.
- ❖ Regional collaborations to exchange ideas and expertise.



EXPECTED OUTCOME



Examples

References

- Zakaria, N., Senawi, J., Musa, F. H., Belabut, D., Onn, C. K., Nor, S. M., & Ahmad, N. (2014). Species composition of amphibians and reptiles in Krau Wildlife reserve, Pahang, Peninsular Malaysia. *Check List*, 10(2), 335-343.
- Aini, S., Sood, A. M., & Saaban, S. (2015). Analysing elephant habitat parameters using GIS, remote sensing and analytic hierarchy process in Peninsular Malaysia. *Pertanika Journal of Science and Technology*, 23(1), 37-50.
- Joshi, A. R., Dinerstein, E., Wikramanayake, E., Anderson, M. L., Olson, D., Jones, B. S., & Davis, C. L. (2016). Tracking changes and preventing loss in critical tiger habitat. *Science advances*, 2(4), e1501675.
- Timonet, D. S., & Abecasis, D. (2020). An integrated approach for the design of a marine protected area network applied to mainland Portugal. *Ocean & Coastal Management*, 184, 105014.
- Perbet, P., Fortin, M., Ville, A., & Béland, M. (2019). Near real-time deforestation detection in Malaysia and Indonesia using change vector analysis with three sensors. *International Journal of Remote Sensing*, 40(19), 7439-7458.
- Quynh, H. Q., Phuong, D. H., & Phuong, N. T. (2016). Application GIS And WebGIS Technology For Biodiversity Information Management A Case Study In Xuan Lien Nature Reserve. *Vietnam Journal of Science and Technology*, 54(4), 460.
- Dezial, C. (2020, July 16). Environmental Problems Caused by Deforestation of tropical Rain Forests. Retrieved from <https://sciencing.com/causes-destruction-ecosystem-5594776.html>
- D'Auria, A., De Toro, P., Fierro, N., & Montone, E. (2018). Integration between GIS and Multi-Criteria Analysis for Ecosystem Services Assessment: A Methodological Proposal for the National Park of Cilento, Vallo di Diano and Alburni (Italy). *Sustainability*, 10(9), 3329.
- Engen, S., Runge, C., Brown, G., Fauchald, P., Nilsen, L., & Hausner, V. (2018). Assessing local acceptance of protected area management using public participation GIS (PPGIS). *Journal for Nature Conservation*, 43, 27-34.
- Roberts, C. M., O'Leary, B. C., & Hawkins, J. P. (2020). Climate change mitigation and nature conservation both require higher protected area targets. *Philosophical Transactions of the Royal Society B*, 375(1794), 20190121.
- Swift, T. L., & Hannon, S. J. (2010). Critical thresholds associated with habitat loss: a review of the concepts, evidence, and applications. *Biological reviews*, 85(1), 35-53.